

SUBJECT INDEX

A

- Abiotic limitations
 - on community structure in seed-harvester ants, 12-14
- Abundance of vectors
 - a primer of epidemics, 118-19
- Acid-base homeostasis
 - regulation, 233-40
 - by buffering, 233-35
 - intracellular, 239-40
 - the role of gut and renal ion transport in, 237-39
 - ventilatory contributions to, 235-37
- Acid-base physiology, 227-33
 - activity patterns in, 229
 - of aquatic insects, 231-33
 - discontinuous ventilation in, 233
 - feeding and diet patterns in, 229-31
 - phylogeny of, 227-28
 - temperature patterns in, 228-29
- Acidity
 - in phytotelmata food webs, 737
- Acridid population dynamics
 - in biological control of locusts and grasshoppers, 673-74
- Active selection
 - evolutionary maintenance by, 278-79
- Activity patterns
 - in insect acid-base physiology, 229
- Aculeata, 37-38
- Adaptation
 - diversity of, 478-85
- Adaptive longevity, 99
- Adaptive radiations
 - explaining phytotelmata food webs, 744
- Adult females
 - differential treatment of the egg by, 266-67
- Aedes aegypti*
 - genetic mapping with restriction fragment length polymorphism markers, 185-86
- Africa
 - field trials of *Metarhizium* IMI 330189 in, 683
- Age
 - dose as, 101-2
 - mortality slowing at older, 96
 - odor changing with, 576
 - as order, 101-2
 - of vectors, a primer of epidemics, 118-19
- Age-specific mortality
 - importance of, 83-85
- Aggression
 - within-group, 357-58
- Aging rate
 - life table, 86
- Alate production, 19
- Allee effect
 - and conservation biology, 651
- Allodapine bees
 - tests of reproductive-skew models in, 365-66
- Alloparasitoids
 - heteronomous
 - hyperparasitism in, 258-60
 - underreporting of, 259
- Alpha-amanitin insecticide
 - Drosophila* resistance to, 557
- Alteration
 - of female sex pheromones after mating, 57-58
- Amazon *Polyergus* ants
 - slavery among, 586-87
- American Society of Tropical Medicine and Hygiene (ASTMH), 340
- American Society of Zoologists, 224
- Amplification host abundance
 - a primer of epidemics, 119-20
- Andrena*, 47
- Animals
 - in a food web template, 748-50
- Anophelinae
 - genetic mapping by microsatellites, 188-89
 - genetic mapping with RAPD markers, 188
 - genetic mapping with restriction fragment length polymorphism markers, 188
 - malaria transmission by, 193-94
- Anophelines
 - repetitive elements of, 199-200
- Ant lions, 21
- Ant queens
 - on their own with or without metabolic

- reserves, 606–7
 See also Colonies of ants;
 Leptothoracine ants;
Polyergus ants;
 Seed-harvester ants
 Ant sex pheromones, 37–45
 female-calling syndrome,
 39, 45
 male-aggregation
 syndrome, 38–39
 Antiaphrodisiacs, 58–59
 Anti-Locust Research Centre,
 669
Aphaenogaster, 5
 Aphelinid parasitoids, 251–90
 behavioral ecology, 269–73
 diphagous species, 260
 evolutionary history,
 273–79
 exceptional and
 nonheteronomous
 species, 261–62
 heteronomous
 hyperparasitism, 257–60
 heterotrophic species,
 260–61
 host relationships, 254–62
 sex-specific development,
 262–69
 taxonomy of heteronomous
 Aphelinidae, 256–57
 terminology, 254–56
 Aphids
 joining and avoidance
 behavior in, 639–40
 Appeasement
 and chemical ecology in
 ants, 579–82
 Application of fungal spore
 formulations
 as mycopesticides, 681
 AQ
 remaining crucial for
 dispersal polymorphism,
 616–17
 secondary polygyny
 involving, 614–15
 Aquatic insects
 patterns in insect acid-base
 physiology of, 231–33
 Arena trials
 of *Metarhizium* IMI
 330189, 682
 Arms race
 coevolutionary, 591–92
 Arthropod natural enemies
 in biological control of
 locusts and grasshoppers,
 689–90
 egg parasitoids, 690
 Arthropod opsins
 molecular phylogeny of,
 488
 Arthropod paternal behavior,
 141–47
 in assassin bugs, 145–46
 in coreid leaf-footed bugs,
 145
 evolution of exclusive,
 139–65
 in giant water bugs, 144–45
 in harvestmen, 143
 in millipedes, 143–44
 possible misinterpretations
 of, 141–42
 in sea spiders, 143
 in thrips, 146–47
 Arthropods
 the role of female choice,
 147–49
 the role of natural
 selection, 149
 sexual vs natural selection,
 149–58
 Assassin bugs
 paternal behavior in,
 145–46
 Association of insect and
 plant clades
 among phytophagous
 insects, 717–19
 Assumptions of population
 genomics, 450–56
 genes evolving
 independently, 450–53
 genome-wide effects
 influencing all parts of the
 genome equally, 453–55
 relative locations of genetic
 markers, 455–56
 single-nucleotide
 polymorphisms at many
 loci, 455
 Attractants
 female, 52–53
 male, 51–52
 Australia
 field trials with
Metarhizium strains, 683
 Australian allodapine bees
 tests of reproductive-skew
 models in, 365–66
 Australian orchids
 sexual mimicry in, 61
 Autoparasitoids
 heteronomous
 hyperparasitism in,
 257–58
 obligate, 254–55
 Availability
 of resources in
 phytotelmata food webs,
 738
 Average lifetime mortality, 88
 Avoidance
 in the biochemistry of
 resistance, 548
 inbreeding, 56–57
 Avoidance behavior in
 nonsocial insects,
 631–65
 examples from different
 orders of insects, 636–48
 functional analyses of
 response to conspecifics,
 632–36
 population perspective,
 650–52
 variation among studies in
 findings on joining and
 avoiding, 648–50

B

- Bacterial artificial chromosome (BAC)
library, 197, 201
- Bark beetles
joining and avoidance
behavior in, 641-42
- Beauveria bassiana*
as a mycopesticide, 684
- Bee sex pheromones, 45-48
female, 45-46
male-produced, 46-48
- Bees
colony fission among,
610-11
specialization in social for
independent foundation,
607-8
taxonomy of sex
pheromones in, 45-48
tests of reproductive-skew
models in communal, 366
See also Allodapine bees;
Carpenter bees;
Euglossine bees; Halictid
bees; Honeybee colonies;
Stingless bees
- Beetles
joining and avoidance
behavior in, 641-43
- Behavioral ecology of
heteronomous aphelinid
parasitoids, 269-73
ovicide, 272-73
sex allocation and kin
selection, 269-71
- Behavioral efficiency
among phytophagous
insects, 715-17
- Bidding game
in concession models of
reproductive-skew, 353
- Bioassays
of fungal spore
formulations as
mycopesticides, 677-78
- Biochemical marking of
insects, 522-23
- Biochemistry of resistance,
548-49
avoidance, 548
metabolism, 549
penetration, 548-49
target-site resistance, 549
- Biodemographic principles,
96-99
cost of reproduction,
97-98
demographic selection
shaping mortality
trajectory, 98
female longevity advantage
not universal, 96-97
life span indeterminate,
98-99
longevity adaptive, 99
mortality slowing at older
ages, 96
mortality trajectories
facultative, 98
- Biodemography, 79-110
combining laboratory and
field studies, 100
implications, 99-102
insect life spans, 92-96
insects as model systems,
81
life tables, 81-83
mortality, 83-92
- Biogeographic constraints on
phytotelmata food webs,
743-44
plant distributions, 743-44
plate tectonics, 743
- Biogeographical approach
to evolution of
vision-related traits,
494-95
- Biogeography of
seed-harvester ants,
10-12
distribution patterns and
species coexistence,
11-12
historical considerations,
10-11
patterns of species
richness, 12
- Biological control
of locusts and
grasshoppers, 667-702
methods for managing
grape phylloxera, 404
- Biological introduction of
DNA
into non-drosophilid
insects, 321
- Biological-traits lineage of
environmental
constraints, 295-303
generalizations about the
correlation of traits to
environmental conditions,
301-3
habitat as a filter for
biological traits, 296-98
problems and agreements
relating to, 300-1
succession, non
equilibrium and
conditions, 299-300
- Biologies
conservation, 651
evolution of heteronomous,
273-78
of grape phylloxera,
387-412
of *Metarhizium*, 679-80
of the St. Louis
encephalitis virus, 112-15
vector, 99-100
- Biopesticides
operating characteristics of
Metarhizium, 687
registration requirements
for, 685-86
- Biosynthesis
chemical mimicry by, 584
- Biotic interactions, 14-20
interspecific competition,
14-18

- intraspecific competition, 18-20
- Biparental care
and selection in arthropods, 158
- Bloodfeeding
in ixodid ticks, 172-73
- Bottom-up explanations of
food webs in
phytotelmata, 735-42
direct predation, 740-41
environmental factors, 736-38
facilitation, 738-39
interspecific competition, 739-40
intraspecific competition, 739
mutualistic interactions, 742
stochastic invasion, 736
- Brazil
field trials with
Metarhizium strains, 683
- Budding, 613-17
AQ remaining crucial for
dispersal polymorphism, 616-17
coexisting with
independent foundation, 613-17
and secondary polygyny, 614-16
vs fission, 611
- Buffering, 233-35
- Burying beetles
joining and avoidance
behavior in, 642-43
tests of reproductive-skew
models in, 367
- C**
- Cage trials
of *Metarhizium* IMI
330189, 682
- Camouflage
mimicry by, 584-85
- Carbamate insecticide
Drosophila resistance to, 554-56
- Carbon dioxide measurement
in insect acid-base
physiology, 226-27
- Caring
vs foraging, 153-54
- Carpenter bees
tests of reproductive-skew
theory in, 364
- Caste in ants, 603-5
flight and mating behavior, 604-5
how flightless reproductive
ants find mates, 605
- Caste manipulation
in concession models of
reproductive-skew, 354-55
- Central death rate, 86
- Centre for Overseas Pest
Research, 669
- Ceratinini*
tests of reproductive-skew
theory in, 364
- Change indicators
mortality, 88-89
- Chemical communication in
Hymenoptera, 31-78
functional classification of
sex pheromones, 50-62
hymenopteran mating
systems, 33-35
odor production and
perception, 35-36
sex pheromones: a
taxonomic compendium, 36-50
- Chemical control of locusts
and grasshoppers
vs biological control, 669-70
- Chemical ecology in ants,
573-99
chemical insignificance
and chemical integration,
576-79
chemical mimicry, 582-89
the "gestalt model" for
nestmate recognition,
575-76
perspectives, 589-92
propaganda, appeasement,
and repellent substances,
579-82
- Chemical insignificance,
576-79
cuticular, 577-78
mixed colonies, 578
and odor changing with
age, 576
parabiotic associations, 579
- Chemical integration, 589-90
- Chemical mimicry, 582-89
by biosynthesis, 584
by camouflage, 584-85
inquilism, 585-86
slavery, 586-89
- Chemical pesticides
Drosophila resistance to,
552-57
environmental impact and
registration requirements
for, 686
for managing grape
phylloxera, 404
- Cicadas
joining and avoidance
behavior in, 640
- Classical life tables, 82
- Classification of sex
pheromones, 50-62
euglossine bees as insect
"peacocks," 55-56
female attractant, 52-53
individual specificity of
sexual signaling, 56-57
male attractant, 51-52
sexual deception in
orchids, 60-62
sexual mimicry and deceit,
59-60

- signals of receptivity, 57–59
 species specificity of signal, 53–55
- Cloning of genes
 map-based positional, 204–6
- Coccobius fulvus*, 261
- Coding
 color, beyond the receptor level, 491–93
- Coevolutionary arms race, 591–92
- Coexistence
 species, 11–12
- Coleoptera joining and avoidance behavior, 641–43
 in bark beetles, 641–42
 in burying beetles, 642–43
 in tenebrionid beetles, 643
- Collective dominant workers as, 371–72
- Colonies of ants
 tests of reproductive-skew models in founding, 367–68
 See also Mixed colonies
- Colony dispersal in social hymenoptera, 601–30
 caste and dispersal of individuals, 603–5
 colony division, 608–17
 insights from phylogenetically “primitive” ants, 617–22
 queen specialization for independent foundation, 605–8
- Colony division, 608–17
 budding coexisting with independent foundation, 613–17
 the difference between fission and budding, 611
 in honeybees, 610
 how insect colonies fission, 609–11
 obligate fission and the evolution of flightless reproductive females, 611–13
 in polistine wasps, 610
 in stingless bees, 610–11
 in vespine wasps, 610
- Colony establishment and survival, 18–19
- Colony interactions
 foraging behavior and, 19
- Colony size, 618
- Color vision in insects
 biogeographical approach to evolution of vision-related traits, 494–95
 color coding beyond the receptor level, 491–93
 diversity of visual pigments, phylogeny, and adaptation, 478–85
 evidence for variance between individuals of the same species, 489–91
 evolution of, 471–510
 molecular phylogeny of insect visual pigments, 487–89
 photoreceptor arrays, visual ecology, and developmental constraints, 485–87
 visual pigments and their spectral sensitivity, 472–78
- Communal bees and wasps
 tests of reproductive-skew models in, 366
- Community structure in seed-harvester ants, 12–20
 abiotic limitations, 12–14
 biotic interactions, 14–20
- Comparative genomics
 and genetic mapping in mosquitoes, 189–91
- Competence
 of vectors as a primer of epidemics, 118–19
- Competition, 2
 interspecific, 739–40
 intraspecific, 739
- Concession models of
 reproductive-skew in social insects, 349–55
 the bidding game in, 353
 dynamic skew in, 352
 group size in, 353–54
 parent-offspring associations in, 352–53
 partner preferences in, 353
 reproductive skew and caste manipulation in, 354–55
- Conservation biology
 Allee effect and, 651
- Constraints
 biogeographic, on phytotelmata food webs, 743–44
- Continental drift
 process of, 743
- Control tactics for managing grape phylloxera, 402–4
 cultural, biological, and physical control methods, 404
 insecticides, 403
 organic farming methods, 404
 quarantines, 402–3
- Cooperation factors
 in insect life spans, 95–96
- Coreid leaf-footed bugs
 paternal behavior in, 145
- Correlation of traits
 to environmental conditions, 301–3
- Cost
 of reproduction, 97–98

- Courtship
in ixodid ticks, 168–71
- Crickets
joining and avoidance
behavior in, 637–38
- Culicinae
genetic mapping by
microsatellites, 187–88
genetic mapping with
RAPD-single-strand
conformation
polymorphism markers,
186–87
genetic mapping with
restriction fragment
length polymorphism
markers, 185–86
malaria transmission by,
195
repetitive elements of,
199–200
- Cultural control methods
for managing grape
phylloxera, 404
- Cuticular chemical
insignificance
and chemical integration,
577–78
- Cyclodienes insecticide
Drosophila resistance to,
554
- Cytogenetics
and the impact of polytene
and metaphase
chromosomes on
low-resolution physical
mapping in mosquitoes,
201–2
- D**
- Data collection and analysis
in population genomic
studies, 456–58
- Data interpretation
in epidemic prediction,
124–25
- DDT
Drosophila resistance to,
552–54
- Death
as metaphor, 101–2
- Death rate
central, 86
- Deception
See Sexual deception in
orchids
- Demographic selection
shaping mortality
trajectory, 98
- Demography
of social insects, 101
- Demography lineage of
environmental
constraints, 308–10
- de Moivre model
of mortality, 89–90
- Detection
of relevant information
among phytophagous
insects, 705
of selection in population
genomic studies, 459–60
- Development
larval, 265–69
solitary vs gregarious, 266
- Dictyoptera
joining and avoidance
behavior in, 636–37
- Diet patterns
and evolution of host
affiliation among
phytophagous insects,
703–27
in insect acid-base
physiology, 229–31
- Differential oophagy
illuminated by
transactional models, 369
- Differential treatment of the
egg
by the adult female,
266–67
- Dimorphism
dispersal, and evolution of
gamergate reproduction,
619
- Diphagous species
of heteronomous aphelinid
parasitoids, 260
- Diprionidae, 36
- Diptera joining and avoidance
behavior, 645–47
in *Drosophila*, 645–46
in mosquitoes, 646
- Direct predation
explaining food webs in
phytotelmata, 740–41
- Discontinuous ventilation
patterns in insect acid-base
physiology, 233
- Discrimination
among phytophagous
insects, 705–6
- Disease transmission, 116–21
- Dispersal dimorphism
and evolution of gamergate
reproduction, 619
- Dispersal of individuals,
603–5
flight and mating behavior
in ants, 604–5
how flightless reproductive
ants find mates, 605
- Dispersal polymorphism
AQ remaining crucial for,
616–17
- Dispersion patterns, 20
- Dissolved nutrients
in phytotelmata food webs,
737
- Distorters
sex ratio, 263–65
- Distribution patterns
of plants, 743–44
in space, 736
and species coexistence,
11–12
- Diversity of insects and
phytochemicals
among phytophagous
insects, 717–19

- Division of colonies, 608-17
- Division of labor in social insects, 413-40
 - division of labor defined, 415
 - how individual workers choose tasks, 416-17
 - integrating from the individual to the colony, 417
 - model descriptions, 417-26
 - models and empirical evidence, 426-33
- DNA
 - introduction into non-drosophilid insects, 319-21
- Dose
 - as age, 101-2
- Drosophila*
 - genetic transformation systems in, 317-46
 - joining and avoidance behavior in, 645-46
- Drosophila* resistance to toxins, 545-71
 - alpha-amanitin, 557
 - biochemistry of resistance, 548-49
 - cyclodienes, 554
 - DDT and pyrethroids, 552-54
 - ethyl alcohol, 557
 - fitness of resistant flies, 560-61
 - future directions, 562-63
 - genetic changes resulting in resistance, 549-51
 - insect growth regulators (IGR), 556-57
 - miscellaneous organic toxins, 557
 - organophosphates and carbamates, 554-56
 - paraquat, 557
 - resistance to chemicals, 552-57
 - resistance to heavy metals, 558-59
 - resistance to phytotoxins, 559-60
 - toxin resistance in insect populations, 547-48
- Dryness
 - in phytotelmata food webs, 737
- Dufour's gland, 46, 581-83
- Dust marking, 516-18
- Dye marking, 518-20
- Dynamic skew
 - in concession models of reproductive-skew, 352
- E**
- Eastern equine encephalitis (EEE) virus, 113-14
- Ecological studies, 684-85
 - of fungal spore formulations as mycopesticides, 684-85
 - of spore persistence and recycling, 684
 - of thermoregulation and the issue of speed of kill, 684-85
- Ecological theory
 - contributions of entomology to, 311-12
 - history of, 291-316
 - prophets of current, 293-95
- Economic issues
 - in biological control of locusts and grasshoppers, 670-71
- Efficiency in specialists
 - among phytophagous insects, 710-12
- Egg
 - differential treatment of by the adult female, 266-67
- Egg parasitoids, 690
- Ejaculatory pheromones, 170
- Elemental marking of insects, 523-26
- Elton's view of the niche, 306-7
- Embryogenesis, 267-68
- Emery's rule, 590-91
- Emitters
 - predicted, 51
- Empirical evidence for division of labor models, 426-33
- Encarsia*, 261-73
- Encarsia pergandiella*
 - paternally inherited sex ratio distorter in, 264-65
- Energetics
 - explaining phytotelmata food webs, 746-47
- Enhanced fecundity
 - hypothesis, 147-48
- Enhanced Green Fluorescent Protein (EGFP) gene, 325
- Entomological research and the history of ecological theory, 291-316
- Entomology
 - contributions to ecological theory, 311-12
 - medical, 650-51
- Entomophthoralean fungi
 - for microbial control, 689
- Entropy
 - life table, 86, 88
- Environmental factors in insect life spans, 95
- Environmental factors in phytotelmata food webs, 736-38
 - acidity, 737
 - dissolved nutrients, 737
 - dryness, 737
 - habitat distribution in space, 736
 - predictions from, 745-46
 - resource quality and availability, 738

- Environmental impact issues,
685-87
in biological control of
locusts and grasshoppers,
671-72
biopesticide registration
requirements, 685-86
chemical pesticides, 686
environmental impact tests,
686
fungal spore formulations
as mycopesticides,
685-87
species traits and, 291-316
- Epidemic prediction, 123-25
data interpretation, 124-25
risk maps, 125
surveillance, 123-24
- Epidemic primers, 116-21
amplification host
abundance and
susceptibility to infection,
119-20
susceptibility of humans to
infection, 120-21
vector abundance, age, and
competence, 118-19
viral abundance, 116-18
- Epidemic response, 125-29
case study: Indian River
County, Florida, 1990,
127-29
public health strategies,
126
vector control strategies,
125-26
- EREs, 119, 122, 124
- Ergatoid queens, 39, 612-13
- Estimations
of field mortality, 100
- Ethyl alcohol insecticide
Drosophila resistance to,
557
- Euglossine bees
as insect "peacocks,"
55-56
- Evolution
of color vision in insects,
471-510
detecting neutral, 445-48
of exclusive paternal care
in arthropods, 139-65
of flightless reproductive
females, 611-13
of gamergate reproduction,
619
of host affiliation among
phytophagous insects,
703-27
of parasitism, 589-90
of queen morphology in
social hymenoptera,
601-30
- Evolutionary loss of queens,
613
- Evolutionary maintenance
by active selection or lack
of genetic variation,
278-79
- Exceptional species
of heteronomous aphelinid
parasitoids, 261-62
- Exclusive paternal care
evolution of in arthropods,
139-65
as a sexually selected male
trait, 151-52
- Exponential model of
mortality, 91
- F**
- Facilitation
explaining food webs in
phytotelmata, 738-39
- Fecundity
See Enhanced fecundity
hypothesis
- Feeding patterns
in insect acid-base
physiology, 229-31
- Female attractant, 52-53
See also Adult females;
Flightless reproductive
females
- Female-calling syndrome
in ants, 39, 45
- Female choice, 147-49
enhanced fecundity
hypothesis, 147-48
handicap principle, 148-49
- Female longevity advantage
not universal, 96-97
- Female sex pheromones
in bees, 45-46
in vespid wasps, 49
- Field mortality
estimation of, 100
- Field trials with *Metarhizium*
strains, 683
Africa, 681-83
Australia, 683
Brazil, 683
Madagascar, 683
- Field-vine observations
in the population biology
of grape phylloxera, 394
- Filarial worm transmission
quantitative genetics of,
191-93
- Filter for biological traits
habitat as, 296-98
- Fisherian runaway process, 53
- Fission
and nest relocation, 621-22
and the pattern of
reproductive investment,
619-21
vs budding, 611
- Fitness benefits of behavioral
efficiency
among phytophagous
insects, 715-17
- Fitness measurements, 562
- Flavivirus transmission
quantitative genetics of,
195-96
- Flight
in ants, 604-5
- Flightless reproductive ants
how they find mates, 605
- Flightless reproductive

- females, 611-13
- ergatoid queens, 612-13
- evolutionary loss of queens, 613
- obligate fission and, 611-13
- why lose wings, 611-12
- Fluorescent in situ hybridization (FISH) probes, 203-4
- Fluorescent pH indicator dyes, 226
- Food and Agriculture Organization (FAO), 669
- Food elements
 - in a food web template, 750-51
- Food web structuring, 735-47
 - bottom-up explanations, 735-42
 - top-down explanations, 742-47
- Foraging behavior
 - and colony interactions, 19
- Foraging for work (FFW)
 - algorithm
 - among social insects, 417, 419, 422-24
 - model of division of labor, 430-31
- Foraging methods, 2, 10
- Foraging vs caring
 - and selection in arthropods, 153-54
- Formicidae, 1-29
- Formulations
 - See Fungal spore formulations as mycopesticides
- Foundation
 - See Independent colony foundation
- Founding colonies of ants
 - tests of reproductive-skew models in, 367-68
- Foundress relatedness
 - mean, 363
- Fungal spore formulations as mycopesticides, 675-88
 - Beauveria bassiana*, 684
 - bioassays, 677-78
 - in biological control of locusts and grasshoppers, 675-88
 - characterization, 678-79
 - ecological studies, 684-85
 - environmental impact and registration, 685-87
 - features of the biology of *Metarhizium*, 679-80
 - field trials with other *Metarhizium* strains outside the African mainland, 683
 - formulation and application, 681
 - mass production, 680-81
 - Metarhizium* IMI 330189 field trials in Africa, 681-83
 - natural prevalence of *Metarhizium*, 676-77
 - operating characteristics of *Metarhizium*
 - biopesticides, 687
 - selection of pathogen, 676
 - technology transfer and implementation, 687-88
- Fungi
 - for microbial control, 689
- G**
- Gall formation
 - factors affecting, 391-92
- Gallicoles
 - insecticides against, 403
 - viticultural damage by, 397-98
- Gamergate reproduction
 - dispersal dimorphism and evolution of, 619
- GenBank, 197
- Gene introduction into
 - non-drosophilid insects, 319-21
 - biological introduction of DNA, 321
 - physical introduction of DNA, 319-21
- Gene vectors in
 - non-drosophilid insects, 321-31
 - choosing, 334-36
 - the *Hermes* element, 321-26
 - the *Minos* element, 328-29
 - the *Mos1* and *Himar1* elements, 326-27
 - pantropic retroviruses, 331
 - the *piggyBac* element, 328
 - Sindbis alphavirus, 329-30
- Generation of transgenic
 - non-drosophilid insects risk assessment arising from, 336-40
- Genes
 - evolving independently, 450-53
 - interacting, 562
 - introducing into non-drosophilid insects, 319-21
 - map-based positional cloning of, 204-6
- Genetic mapping in
 - mosquitoes, 185-91
 - anophelinae, 188-89
 - comparative genomics, 189-91
 - culicinae, 185-88
- Genetic markers
 - relative locations of, 455-56
- Genetic marking of insects, 521-23
 - biochemical, 522-23
 - visible, 521-22
- Genetic transformation
 - systems in insects, 317-46

- choosing an insect gene vector, 334–36
- current non-drosophilid insect germline transformation technologies, 331–34
- generation of transgenic non-drosophilid insects, 336–40
- introducing genes into non-drosophilid insects, 319–21
- transposable elements as gene vectors in non-drosophilid insects, 321–29
- viruses as gene vectors in non-drosophilid insects, 329–31
- Genetic variation
 - evolutionary maintenance by lack of, 278–79
- Genetically engineered marking of insects, 529–31
- Genetically modified organisms (GMOs), 530–31
- Genome size
 - in physical mapping of mosquitoes, 196–201
- Genome-wide sampling of insect populations, 441–69
- GENOMEST, 458
- Genomics
 - comparative, 189–91
 - in physical mapping of mosquitoes, 206
- Germline transformation technologies
 - a critical assessment of current non-drosophilid insect, 331–34
- "Gestalt model" for nestmate recognition, 575–76
- Giant water bugs
 - paternal behavior in, 144–45
- Gompertz model, 90–91
 - fitting mortality data to, 92
- Grape phylloxera, 387–412
 - biology and management of, 387–412
 - biotypes of, 400–1
 - control tactics other than host plant resistance, 402–4
 - cultural, biological, and physical control methods, 404
 - insecticides, 403
 - life cycle, host utilization, and range, 389–92
 - organic farming methods, 404
 - population biology, 392–94
 - quarantines, 402–3
 - resistance, 398–400
 - virulent phylloxera strains, 400–2
 - viticultural damage, 395–98
- Grasshoppers
 - acridid population dynamics, 673–74
 - arthropod and vertebrate natural enemies, 689–90
 - biological control of, 674–75
 - chemical control of, 669–70
 - development of fungal spore formulations as mycopesticides, 675–88
 - environmental issues, 671–72
 - joining and avoidance behavior in, 638
 - move towards integrated pest management, 672–73
 - political and economic issues, 670–71
- Green fluorescent protein (GFP) marker, 530–31
- Green-island trial format for *Metarhizium* IMI 330189, 682
- Greenhouse-observations in the population biology of grape phylloxera, 394
- Gregarious development vs solitary, 266
- Group size
 - in concession models of reproductive-skew, 353–54
- Groups of insects
 - paint and ink marking of, 516
- Gut ion transport
 - in acid-base regulation, 237–39
- Gut lumen phylogeny, 227–28
- H**
- Habitat
 - as a filter for biological traits, 296–98
- Habitat distribution in space in phytotelmata food webs, 736
- Habitat templet concept, 308
- Halictid bees
 - tests of reproductive-skew theory in, 365
- Hamilton's rule, 350, 355, 363
- Handicap principle, 148–49
- Harvestmen
 - paternal behavior in, 143
- Heavy metals
 - Drosophila* resistance to, 558–59
- Hemolymph pH regulation, 237–39
- Hemolymph phylogeny, 227
- Hermes* element
 - gene vector in non-drosophilid insects, 321–26

- Hesse's view of the niche, 305-6
- Heterogeneity
explaining phytotelmata food webs, 747
- Heteronomous aphelinid parasitoids, 251-90
behavioral ecology, 269-73
diphagous species, 260
evolutionary history, 273-79
exceptional and nonheteronomous species, 261-62
heteronomous hyperparasitism, 257-60
heterotrophic species, 260-61
host relationships, 254-62
sex-specific development, 262-69
taxonomy of heteronomous Aphelinidae, 256-57
terminology, 254-56
- Heteronomous biologies
evolution of, 273-78
evolutionary transitions from heteronomous hyperparasitism, 277-78
hypotheses based on life history, 274-78
phylogenetic hypotheses, 273-74
- Heteronomous host relationships
infection with *Wolbachia* and, 263-64
- Heteronomous
hyperparasitism, 257-60
alloparasitoids, 258-60
autoparasitoids, 257-58
evolutionary transitions from, 277-78
in heteronomous aphelinid parasitoids, 257-60
- Heteroptera
joining and avoidance behavior in, 640-41
- Heterotrophic species
of heteronomous aphelinid parasitoids, 260-61
- Himar1* elements
gene vector in non-drosophilid insects, 326-27
- Holometabolous hymenopterans, 33
- Homeostasis mechanisms, 233-40
buffering, 233-35
intracellular acid-base regulation, 239-40
the role of gut and renal ion transport in acid-base regulation, 237-39
ventilatory contributions to acid-base regulation, 235-37
- Homoptera joining and avoidance behavior, 639-40
in aphids, 639-40
in cicadas, 640
- Honest signals of paternal intent
and selection in arthropods, 154-57
- Honey bee colonies
fission among, 610
"single-cohort," 415
- Horned lizards, 20
- Host choice and feeding among phytophagous insects, 715-17
- Host plant resistance mechanisms of in managing grape phylloxera, 399
- Host relationships
changing affiliation among phytophagous insects, 719-21
diphagous species, 260
exceptional and nonheteronomous species, 261-62
in heteronomous aphelinid parasitoids, 254-62
heteronomous hyperparasitism, 257-60
heterotrophic species, 260-61
infection with *Wolbachia* and heteronomous, 263-64
sex-specific, 266
taxonomy of heteronomous Aphelinidae, 256-57
terminology, 254-56
- Host susceptibility to infection
as a primer of epidemics, 119-20
- Host utilization
affecting gall formation, 389-91
- Human Genome Project, 341
- Human susceptibility to infection
as a primer of epidemics, 118, 120-21
- Hutchinsonian niche, 307-8
- Hymenoptera
caste and dispersal of individuals, 603-5
colony dispersal and the evolution of queen morphology in social, 601-30
colony division, 608-17
evolution of queen morphology in social, 601-30
female and male sex pheromones in, 40-44
insights from phylogenetically "primitive" ants, 617-22
joining and avoidance behavior, 647-48
queen specialization for

- independent foundation, 605-8
- spectral sensitivity of, 480-81
- Hymenopteran mating systems, 33-35
- Hyperparasitism
 - evolutionary transitions from heteronomous, 277-78
 - heteronomous, in heteronomous aphelinid parasitoids, 257-60
- I**
- Implementation of fungal spore formulations as mycopesticides, 687-88
- In-vitro bioassays
 - in the population biology of grape phylloxera, 392-93
- Inbreeding avoidance, 56-57
- Incubation trials
 - of *Metarhizium* IMI 330189, 682
- Independence
 - tests of, 457-58
- Independent colony
 - foundation (ICF)
 - budding coexisting with, 613-17
 - queen specialization for, 605-8
- Indeterminate life span, 98-99
- Indian River County, Florida, 1990
 - epidemic response in, 127-29
- Individuals
 - dispersal of, 603-5
 - paint and ink marking of, 515-16
 - specificity of sexual signaling in, 56-57
 - variance in color vision
 - within the same species, 489-91
- Infection
 - host susceptibility to a primer of epidemics, 119-20
 - with *PI Wolbachia*, and heteronomous host relationships, 263-64
 - susceptibility of humans to, 120-21
- Inherited sex ratio distorter
 - paternal, 264-65
- Inhibition
 - See Social inhibition models
- Inquilinism, 585-86
- Insect acid-base physiology, 221-50
 - carbon dioxide measurement in, 226-27
 - definitions, 225
 - mechanisms of acid-base homeostasis, 233-40
 - patterns in, 227-33
 - pH measurement in, 225-26
- Insect biodemography, 79-110
 - general biodemographic principles, 96-99
 - implications, 99-102
 - insect life spans, 92-96
 - insects as model systems, 81
 - life tables, 81-83
 - mortality, 83-92
- Insect colony fission, 609-11
 - in honeybees, 610
 - in polistine wasps, 610
 - in stingless bees, 610-11
 - in vespine wasps, 610
- Insect gene vectors
 - choosing, 334-36
- Insect growth regulators (IGR)
 - Drosophila* resistance to, 556-57
- Insect life spans, 92-96
 - environmental factors, 95
 - kinship and cooperation factors, 95-96
 - life span concepts, 92-93
 - summary of, 93-96
- Insect populations
 - gene introduction into non-drosophilid, 319-21
- Insect visual pigments
 - molecular phylogeny of, 487-89
- Insecticides
 - Drosophila* resistance to, 552-57
 - against gallicoles, 403
 - for managing grape phylloxera, 403
 - against radicleles, 403
- Insects
 - genome-wide sampling of, 441-69
 - spectral sensitivity of, 474, 480-81, 483-84, 497-502
 - starvation in, 230
- Integrated pest management
 - move towards, in biological control of locusts and grasshoppers, 672-73
- Integrated
 - threshold-information transfer model among social insects, 420-21
- Integration of genetic and physical maps
 - in physical mapping of mosquitoes, 202-4
- Interacting genes, 562
- International Red Locust Control Organization, 673
- Interspecific competition
 - correlative data, 17-18
 - direct data, 14-17

- explaining food webs in
phytotelmata, 739-40
- Interspecific sex pheromone
mimicry, 60
- Intracellular acid-base
regulation, 239-40
- Intraspecific competition
alate production, 19
colony establishment and
survival, 18-19
demographic
considerations, 20
dispersion pattern, 20
explaining food webs in
phytotelmata, 739
foraging behavior and
colony interactions, 19
- Intrinsic capacity
in the population biology of
grape phylloxera, 392-93
- Invasion
stochastic, 736
- Investment
reproductive, 619-21
- Ion transport in acid-base
regulation, 237-39
hemolymph pH regulation,
237-39
midgut pH regulation, 239
- ISI Citation Index*, 311
- Island biogeographic
processes
explaining phytotelmata
food webs, 745
- Iteroparity
and selection in arthropods,
150-53
- Ixodid ticks
mating strategies and
spermiogenesis in,
167-82
- J**
- Joining behavior in nonsocial
insects, 631-65
examples from different
orders of insects, 636-48
- functional analyses of
response to conspecifics,
632-36
population perspective,
650-52
variation among studies in
findings on joining and
avoiding, 648-50
- JOINMAP, 456
- Juvenile hormone (JH), 424
- K**
- Kill
speed of, 684-85
- Kin selection, 589-90
in heteronomous aphelinid
parasitoids, 269-71
- Kinship factors in insect life
spans, 95-96
- L**
- Large insect societies
tests of reproductive-skew
theory in, 370-78
- Larval development
differential treatment of the
egg by the adult female,
266-67
embryogenesis, 267-68
larval morphology, 268-69
sex-differentiated
embryogenesis and,
265-69
sex-specific development,
265
sex-specific host
relationships, 266
solitary vs gregarious
development, 266
- Lepidoptera
joining and avoidance
behavior in, 644-45
spectral sensitivity of,
483-84
- Leptothoracine ants
tests of reproductive-skew
theory in, 370-71
- Liebig's "law of the
minimum," 294-95, 306
- Life cycle
affecting gall formation,
389-91
- Life spans, 92-96
environmental factors, 95
indeterminate, 98-99
kinship and cooperation
factors, 95-96
life span concepts, 92-93
summary of, 93-96
- Life table entropy, 86, 88
- Life tables, 81-83
aging rate of, 86
background, 81-82
classical, 82
Lotka, 82
the single-decrement table,
82-83
- Lifetime mortality
average, 88
- Limited behavioral efficiency
among phytophagous
insects, 707-10
- Locations of genetic markers
relative, 455-56
- LOCUSTOX, 686
- Locusts
acridid population
dynamics, 673-74
arthropod and vertebrate
natural enemies, 689-90
biological control, 674-75
current situation: chemical
control, 669-70
development of fungal
spore formulations as
mycopesticides, 675-88
environmental issues,
671-72
joining and avoidance
behavior in, 638-39
move towards integrated
pest management, 672-73
political and economic
issues, 670-71

- Logistic model
of mortality, 91-92
- Long-terminal repeat (LTR)
elements, 198, 201
- Longevity
adaptive, 99
- Longevity advantage
female, not universal,
96-97
- Loss of wings, 611-12
- Lotka life tables, 82
- Low-resolution physical
mapping
cytogenetics and the
impact of polytene and
metaphase chromosomes
on, 201-2
- LUBILOSA program,
675-81, 687-88
- M**
- Madagascar
field trials with
Metarhizium strains, 683
- Maintenance
evolutionary, 278-79
- Makeham model
of mortality, 91
- Malaria transmission, 193-95
anophelinae, 193-94
culicinae, 195
quantitative genetics of,
193-95
- Male-aggregation syndrome
in ants, 38-39, 53
- Male attractant, 51-52
- Male-produced pheromones
in bees, 46-48
in vespid wasps, 49-50
- Males
worker production of,
374-76
- Malpighian tubules, 238,
558
- Malthusian r , 294
- Management of grape
phylloxera, 387-412
control tactics other than
host plant resistance,
402-4
cultural, biological, and
physical control methods,
404
insecticides, 403
life cycle, host utilization,
and range, 389-92
organic farming methods,
404
population biology, 392-94
quarantines, 402-3
resistance, 398-400
virulent phylloxera strains,
400-2
viticultural damage,
395-98
- Map-based positional cloning
of genes
in physical mapping of
mosquitoes, 204-6
- MAPMAKER, 456
- Mark-capture studies, 513,
521
- Mark-release-recapture
(MRR) studies, 513,
519, 521-23
- Marking insects, 513-26
characteristics of effective
markers, 512-13
current techniques and
future prospects, 511-43
dust marking, 516-18
dye marking, 518-20
elemental marking, 523-26
genetic marking, 521-23
materials and techniques
used for, 513-26
mutilation marking,
514-15
nitrogen-15 marking, 526
paint and ink marking,
515-16
pollen marking, 520-21
radioactive-isotope
marking, 523
recent developments in,
526-31
tags and related markers,
513-14
types of studies that
require, 513
- Mass production
of fungal spore
formulations as
mycopesticides, 680-81
- Mathematical treatments
of response threshold
models, 418-19
- Mating
alteration of female sex
pheromones after, 57-58
in ixodid ticks, 168-71
- Mating behavior in ants,
604-5
- Mating behavior in
Hymenoptera, 31-78
functional classification of
sex pheromones, 50-62
hymenopteran mating
systems, 33-35
odor production and
perception, 35-36
sex pheromones: a
taxonomic compendium,
36-50
- Mating flights, 6-10
- Mating opportunities
and selection in arthropods,
153
- Mating strategies in ixodid
ticks, 167-82
bloodfeeding, 172-73
courtship and mating,
168-71
oogenesis, 174
oviposition, 176
parthenogenesis, 175-76
sex determination, 176-77
spermatogenesis, 175
spermatophore transfer,
171-72
spermiogenesis and

- syngamy, 173-74
- Mean foundress relatedness, 363
- Mechanisms
and evolution of division of labor, 434-35
- Medical entomology, 650-51
- Membrane transport, 222
- Messor*, 4
phylogenetic tree for, 9
- Metabolic reserves
ant queens with or without, 606-7
- Metabolism
in the biochemistry of resistance, 549
- Metaphase chromosomes
impact on low-resolution physical mapping in mosquitoes, 201-2
- Metarhizium*
fungal spore formulations as mycopesticides, 679-80
natural prevalence of, 676-77
spore quality of, 679-80
storage of, 679-80
- Metarhizium* biopesticides
operating characteristics of, 687
- Metarhizium* IMI 330189
field trials in Africa, 681-83
cage and arena trials, 682
field application with cage incubation, 682
field trials in West Africa, 682-83
further field trials in Africa, 683
green-island trial format, 682
- Meteorological triggers
of the St. Louis encephalitis virus, 121-23
- Microarray analysis, 562
- Microbial control agents, 688-89
in biological control of locusts and grasshoppers, 688-89
entomophthoralean fungi, 689
microsporidia, 688-89
- Microsatellites
genetic mapping of anophelinae by, 188-89
genetic mapping of culicinae by, 187-88
- Microsporidia
for microbial control, 688-89
- Midgut pH regulation, 239
- Migration, 562
- Millipedes
paternal behavior in, 143-44
- Mimicry, 582-89
by camouflage, 584-85
chemical, by biosynthesis, 584
and inquilinism, 585-86
interspecific sex pheromone, 60
and slavery, 586-89
- Minos* element
gene vector in non-drosophilid insects, 328-29
- Mixed colonies
chemical insignificance and chemical integration in, 578
- Model systems
of division of labor in social insects, 413-40
insects as, 81
phytotelmata as a naturally occurring, 731-34
- Models of division of labor in social insects, 417-26
foraging for work, 422-24
integrated threshold-information transfer model, 420-21
network models of task allocation, 425-26
response threshold models, 418-20
self-reinforcement models, 421-22
social inhibition models, 424-25
- Models of reproductive skew, 349-59
reproductive skew and within-group aggression, 357-58
summary of theoretical predictions, 358-59
transactional models, 349-56
tug-of-war models, 356-57
variables in two person, 350
"Window-of-selfishness" model, 357-58
- Molecular phylogeny
of arthropod opsins, 488
of insect visual pigments, 487-89
- Morphology
evolution of queen, in social hymenoptera, 601-30
larval, 268-69
- Mortality
importance of age-specific, 83-85
principles of, 85
slowing at older ages, 96
threshold, 89
- Mortality change indicators, 88-89
- Mortality data
fitting to the Gompertz model, 92
- Mortality functions, 86-89
average lifetime mortality, 88

- basic functions, 86
- central death rate, 86
- life table aging rate, 86
- life table entropy, 86, 88
- mortality change
 - indicators, 88–89
- mortality scaling, 89
- Mortality models, 89–92
 - de Moivre model, 89–90
 - exponential model, 91
 - Gompertz model, 90–91
 - logistic model, 91–92
 - Makeham model, 91
 - Weibull model, 91
- Mortality parameters, 87
- Mortality scaling, 89
- Mortality trajectories
 - demographic selection shaping, 98
- facultative, 98
- Mos1* elements
 - gene vector in non-drosophilid insects, 326–27
- Mosquitoes
 - contemporary genetic mapping, 185–91
 - joining and avoidance behavior in, 646
 - molecular approaches to genetic and physical mapping in, 183–219
 - physical mapping, 196–206
 - quantitative genetics, 191–96
- Mother-daughter reproduction
 - vs same-generation groups, 368–69
- Multiple-queen associations, 368
- Mutilation marking, 514–15
- Mutualistic interactions
 - explaining food webs in phytotelmata, 742
- Mycopesticides
 - Beauveria bassiana*, 684
 - bioassays, 677–78
 - in biological control of locusts and grasshoppers, 675–88
 - characterization, 678–69
 - ecological studies, 684–85
 - environmental impact and registration, 685–87
 - features of the biology of *Metarhizium*, 679–80
 - field trials with other *Metarhizium* strains outside the African mainland, 683
 - formulation and application, 681
 - fungal spore formulations as, 675–88
 - mass production, 680–81
 - Metarhizium* IMI 330189 field trials in Africa, 681–83
 - natural prevalence of *Metarhizium*, 676–77
 - operating characteristics of *Metarhizium* biopesticides, 687
 - selection of pathogen, 676
 - technology transfer and implementation, 687–88
- N**
- Natural selection in
 - arthropods
 - role in exclusive paternal care, 149
 - vs sexual, 149–58
- Nest relocation
 - fission and, 621–22
- Nestmate recognition
 - "gestalt model" for, 575–76
- Network models
 - of task allocation among social insects, 425–26
- Neural limitations in
 - phytophagous insects
 - changes in host affiliation, 719–21
 - detection of relevant information, 705
 - discrimination and choice among alternatives, 705–6
 - diversity of insects and phytochemicals and association of insect and plant clades, 717–19
 - evidence for limited behavioral efficiency among generalists, 707–10
 - fitness benefits of behavioral efficiency in host choice and feeding, 715–17
 - implications for diet breadth and evolution of host affiliation, 703–27
 - mechanisms for efficiency in specialists, 710–12
 - the nonspecialist's dilemma and some solutions, 712–15
 - task attentiveness, 706
 - vigilance against risk, 706–7
- Neutral evolution
 - detecting, 445–48
- Niche lineage of
 - environmental constraints, 303–8
 - development of different views of, 303–5
 - development of Elton's view of, 306–7
 - development of Hesse's and Pearse's view of, 305–6
 - the Hutchinsonian niche, 307–8
- Nitrogen-15 marking of insects, 526
- Non-drosophilid insects

- gene introduction into,
319-21
- Non equilibrium, 299-300
- Nonheteronomous species
of heteronomous aphelinid
parasitoids, 261-62
- Nonsocial insects
coleoptera, 641-43
dictyoptera, 636-37
diptera, 645-47
heteroptera, 640-41
homoptera, 639-40
hymenoptera, 647-48
lepidoptera, 644-45
orthoptera, 637-39
- Nonspecialist's dilemma
among phytophagous
insects, 712-15
- North America
brief history of St. Louis
encephalitis virus in,
112
- North American
seed-harvester ants,
1-29
- Novel target molecules
identification of, 563
- Nucleotide polymorphisms
in population genomic
studies, 458
- Nutrients
dissolved, in phytotelmata
food webs, 737
- O**
- Obligate autoparasitoids,
254-55
- Obligate fission
in ergatoid queens, 612-13
and the evolution of
flightless reproductive
females, 611-13
evolutionary loss of
queens, 613
and wing loss, 611-12
- OCLALAV, 673
- Odor
changing with age,
576
- Odor perception
and specificity of
pheromones, 36
- Odor production, 35-36
- Off-host sexual aggregation
pheromones, 169
- Older ages
mortality slowing at,
96
- On-host sexual aggregation
pheromones, 169
- Oogenesis
in ixodid ticks, 174
- Ophrys* orchids
sexual mimicry in, 61-62
- Opportunity
See Mating opportunities
- Opsins
molecular phylogeny of
arthropod, 488
- Orchids
sexual deception in, 60-62
- Order
age as, 101-2
- Organic farming methods
for managing grape
phylloxera, 404
- Organization
in physical mapping of
mosquitoes, 196-201
- Organophosphate (OP)
insecticide
Drosophila resistance to,
554-56
- Orthoptera joining and
avoidance behavior,
637-39
in crickets, 637-38
in grasshoppers, 638
in locusts, 638-39
- Ovicide
in heteronomous aphelinid
parasitoids, 272-73
- Oviposition
in ixodid ticks, 176
- P**
- Paint and ink marking,
515-16
of groups of insects, 516
of individual insects,
515-16
- Pantropic retroviruses
gene vectors in
non-drosophilid insects,
331
- Parabiotic associations
chemical insignificance
and chemical integration
in, 579
- Paraquat insecticide
Drosophila resistance to,
557
- Parasites
among seed-harvester ants,
20-21
- Parasitica
taxonomy of sex
pheromones in, 37
- Parasitism
evolution of, 589-90
- Parasitoids
among seed-harvester ants,
20-21
egg, 690
joining and avoidance
behavior in, 647
See also Alloparasitoids;
Autoparasitoids
- Parent-offspring associations
in concession models of
reproductive-skew,
352-53
- Parental sex chromosome
(PSR), 264
- Parsimony analysis, 8-9
- Parthenogenesis
in ixodid ticks, 175-76
thelytokous, 262-63
- Partitioning
of reproduction among
queens, 372-74
- Partner preferences

- in concession models of reproductive-skew, 353
- Paternal care in arthropods
 - arthropod paternal behavior, 141–47
 - evolution of exclusive, 139–65
 - the role of female choice, 147–49
 - the role of natural selection, 149
 - sexual vs natural selection, 149–58
- Paternal intent
 - honest signals of in arthropods, 154–57
- Paternally inherited sex ratio distorter
 - in *Encarsia pergandiella*, 264–65
- Pathogen selection
 - of fungal spore formulations as mycopesticides, 676
- Patterns in insect acid-base physiology, 227–33
 - activity, 229
 - aquatic insects, 231–33
 - discontinuous ventilation, 233
 - feeding and diet, 229–31
 - phylogeny, 227–28
 - temperature, 228–29
- Patterns in the description of phytotelmata, 734–35
- Patterns of reproductive investment
 - fission and, 619–21
- Patterns of species richness, 12
- Pearse's view of the niche, 305–6
- Penetration
 - in the biochemistry of resistance, 548–49
- Persistence
 - See Spore persistence
- Pest management
 - See Integrated pest management
- Pesticides
 - environmental impact and registration requirements for chemical, 686
- pH measurement
 - in insect acid-base physiology, 225–26
- pH regulation
 - midgut, 239
- Pheidole*, 4–5
- Phorid flies, 21
- Photoreceptor arrays
 - developmental constraints on, 485–87
- Phylloxera management, 387–412
 - biology and management of, 387–412
 - control tactics other than host plant resistance, 402–4
 - cultural, biological, and physical control methods, 404
 - insecticides, 403
 - life cycle, host utilization, and range, 389–92
 - organic farming methods, 404
 - population biology, 392–94
 - quarantines, 402–3
 - resistance, 398–400
 - virulent phylloxera strains, 400–2
 - viticultural damage, 395–98
- Phylloxera virulence, 401
- Phylogenetic hypotheses
 - in heteronomous biologies, 273–74
- Phylogenetically "primitive" ants
 - dispersal dimorphism and evolution of gamergate reproduction, 619
 - fission and nest relocation, 621–22
 - fission and the pattern of reproductive investment, 619–21
 - frequent occurrence of wingless reproductive females, 617–19
 - insights from, 617–22
- Phylogeny, 227–28
 - diversity of, 478–85
 - gut lumen, 227–28
 - hemolymph, 227
 - molecular, of arthropod opsins, 488
 - patterns in insect acid-base physiology, 227–28
- Phylogeny behavior
 - foraging methods, 10
 - mating flights, 7–10
 - and radiation, 7–10
- Physical control methods for managing grape phylloxera, 404
- Physical introduction of DNA into non-drosophilid insects, 319–21
- Physical mapping in mosquitoes, 196–206
 - cytogenetics, 201–2
 - genome size and organization, 196–201
 - genomics, 206
 - impact of polytene and metaphase chromosomes on low-resolution, 201–2
 - integration of genetic and physical maps, 202–4
 - map-based positional cloning of genes, 204–6
- Physiology
 - patterns in insect acid-base, 227–33
- Phytophagous insects
 - changes in host affiliation, 719–21

- detection of relevant information, 705
- discrimination and choice among alternatives, 705–6
- diversity of insects and phytochemicals and association of insect and plant clades, 717–19
- evidence for limited behavioral efficiency among generalists, 707–10
- fitness benefits of behavioral efficiency in host choice and feeding, 715–17
- implications for diet breadth and evolution of host affiliation, 703–27
- mechanisms for efficiency in specialists, 710–12
- the nonspecialist's dilemma and some solutions, 712–15
- task attentiveness, 706
- vigilance against risk, 706–7
- Phytotelmata
 - "bottom-up" and "top-down" explanations for community structure in, 729–60
 - food web statistics and the description of pattern, 734–35
 - food web structuring, 735–47
 - a food web template for, 747–51
 - a naturally occurring model system, 731–34
 - organisms inhabiting, 732–33
- Phytotoxins
 - Drosophila* resistance to, 559–60
- PI *Wolbachia*
 - infection with, 263–64
 - piggyBac* element
 - gene vector in non-drosophilid insects, 328
 - Plant distributions
 - constraining phytotelmata food webs, 743–44
 - Plate tectonics
 - constraining phytotelmata food webs, 743
 - Pogonomyrmex*, 3–4
 - phylogenetic tree for, 8
 - Polistine wasps
 - colony fission among, 610
 - tests of reproductive-skew theory in, 359–63
 - Political issues
 - in biological control of locusts and grasshoppers, 670–71
 - Pollen marking, 520–21
 - "Polydomy," 611
 - Polyergus* ants
 - queens of, 588
 - slavery among, 586–87
 - Polymerase chain reaction (PCR), 443, 531
 - Polymorphisms
 - AQ remaining crucial for dispersal, 616–17
 - at many loci, 455
 - nucleotide, in population genomic studies, 458
 - Polytene chromosomes
 - impact on low-resolution physical mapping in mosquitoes, 201–2
 - Ponerinae, 601
 - Population biology of grape
 - phylloxera, 392–94
 - greenhouse- and field-vine observations, 394
 - intrinsic capacity and in-vitro bioassays, 392–93
 - Population dynamics
 - contrasting patterns of, 16
 - Population genomic studies, 456–61
 - data analysis, 457–58
 - data collection, 456–57
 - detecting selection, 459–60
 - initiating, 456–61
 - nucleotide polymorphisms, 458
 - sample size and design are critical in population genomics, 460–61
 - Population genomics
 - critical assumptions of, 450–56
 - detecting selection and neutral evolution, 445–48
 - examples of the population genomics approach, 448–50
 - genome-wide sampling of insect populations, 441–69
 - a hypothetical example of, 444–45
 - Population perspective on
 - joining and avoidance behavior, 650–52
 - the Allee effect and conservation biology, 651
 - medical entomology, 650–51
 - sterile-male technique, 651–52
 - Population structure
 - of nucleotide polymorphisms, 458
 - Positional cloning of genes
 - map-based, 204–6
 - Predators
 - among seed-harvester ants, 20–21
 - direct, 740–41
 - Predictability
 - affecting epidemic response, 125–29
 - environmental, 745–46

- and reproductive skew, 358–59
- Primers of epidemics, 116–21
- amplification host abundance and susceptibility to infection, 119–20
- susceptibility of humans to infection, 120–21
- vector abundance, age, and competence, 118–19
- viral abundance, 116–18
- Propaganda and chemical ecology in ants, 579–82
- Prophets of current ecological theory, 293–95
- Protein marking of insects, 526–29
- Pteroptrix*, 261
- Public health strategies affecting epidemic response, 126
- Pyrethroid insecticide *Drosophila* resistance to, 552–54
- Q**
- Quantitative genetics, 191–96
- of filarial worm transmission, 191–93
- of flavivirus transmission, 195–96
- of malaria transmission, 193–95
- Quantitative trait loci (QTL) analyses, 191–96
- Quarantines for managing grape phylloxera, 402–3
- Queen morphology in social hymenoptera
- caste and dispersal of individuals, 603–5
- colony division, 608–17
- evolution of, 601–30
- insights from phylogenetically “primitive” ants, 617–22
- queen specialization for independent foundation, 605–8
- Queen specialization for independent foundation, 605–8
- in social wasps and bees, 607–8
- when ant queens are on their own, 606–7
- “Queen substance,” 45
- Queens
- ergatoid, 39, 612–13
- evolutionary loss of ant, 613
- partitioning of reproduction among, 372–74
- worker control of number and identity of, 376–78
- R**
- r-K* selection, 302, 309
- Radiations
- adaptive, 744
- phylogeny behavior and, 7–10
- Radicicoles
- insecticides against, 403
- vine symptoms associated with, 395
- Radioactive-isotope marking, 523
- Range
- affecting gall formation, 392
- RAPD markers
- genetic mapping of anophelinae with, 188
- genetic mapping of culicinae with single-strand conformation polymorphism, 186–87
- Receptivity
- signals of, 57–59
- Receptor level
- color coding beyond, 491–93
- Recognition
- “gestalt model” for nestmate, 575–76
- Recombination
- tests of, 457–58
- Recycling
- spore persistence and, 684
- Registration requirements for biopesticides, 685–86
- Relatedness
- mean foundress, 363
- Renal ion transport
- in acid-base regulation, 237–39
- RepeatMaker software, 197–98
- Repellent substances and chemical ecology in ants, 579–82
- Reproduction
- among queens, partitioning of, 372–74
- cost of, 97–98
- gamergate, 619
- in mother-daughter vs same-generation groups, 368–69
- Reproductive females
- flightless, 611–13
- frequent occurrence of wingless, 617–19
- Reproductive investment
- fission and the pattern of, 619–21
- Reproductive modes
- thelytokous
- parthenogenesis, 262–63
- Reproductive-skew models in social insects, 347–85
- models of reproductive skew, 349–59
- tests of reproductive-skew

- models in social insects, 347-85
- tests of reproductive-skew theory in large insect societies, 370-78
- tests of reproductive-skew theory in small insect societies, 359-69
- Requirements
for biopesticide registration, 685-86
- Reserves
metabolic, ant queens with or without, 606-7
- Resistance in the
management of grape phylloxera, 398-400
- mechanisms of host plant resistance, 399
- rootstocks, 399-400
- Resistance of *Drosophila* to toxins, 545-71
- biochemistry of resistance, 548-49
- fitness of resistant flies, 560-61
- future directions, 562-63
- genetic changes resulting in resistance, 549-51
- resistance to chemicals, 552-57
- resistance to heavy metals, 558-59
- resistance to phytotoxins, 559-60
- toxin resistance in insect populations, 547-48
- Resource partitioning, 2
- Resource quality and availability
in phytotelmata food webs, 738
- Response threshold models, 418-20
- among social insects, 418-20
- building on, 419-20
- of division of labor, 426-28
- mathematical treatments of, 418-19
- Restraint models of reproductive-skew in social insects, 355-56
- Restriction fragment length polymorphism markers
genetic mapping of anophelinae with, 188
- genetic mapping of culicinae with, 185-86
- Retrotransposons, 201
- Rift Valley fever, 125
- Risk
vigilance against, among phytophagous insects, 706-7
- Risk assessment
arising from the generation of transgenic non-drosophilid insects, 336-40
- Risk maps
in epidemic prediction, 125
- Rootstocks
role in managing grape phylloxera, 399-400
- Rossomyrmex*
the slave-maker, 587, 589
- S**
- St. Louis encephalitis (SLE)
virus epidemics
biology of, 112-15
- brief history in North America, 112
- epidemic predictability, 123-25
- epidemic primers, 116-21
- general theory, 115-16
- lessons from, 111-38
- meteorological triggers, 121-23
- perspectives and future challenges, 129-30
- predictability affecting epidemic response, 125-29
- Same-generation group reproduction
vs mother-daughter, 368-69
- Sample size and design
in population genomic studies, 460-61
- Sampling distributions, 446
- Sawflies
joining and avoidance behavior in, 647-48
- taxonomy of sex pheromones in, 36-37
- Scaling
mortality, 89
- Sea spiders
paternal behavior in, 143
- Secondary polygyny, 614-16
- involving AQ, 614-15
- involving wingless reproductives, 615-16
- Seed-harvester ants, 1-29
- biogeography, 10-12
- community structure, 12-20
- functional groups, 11
- life history and ecology, 6-7
- phylogeny behavior, and radiation, 7-10
- predators, parasitoids, and parasites, 20-21
- seed-harvester ant genera, 3-6
- Selection
demographic, shaping mortality trajectory, 98
- detecting, 445-48, 459-60
- Self-reinforcement
and social dominance, 422
- Self-reinforcement models
among social insects, 421-22
- of division of labor, 429
- Sex allocation

- in heteronomous aphelinid parasitoids, 269-71
- Sex determination
 - in ixodid ticks, 176-77
- Sex-differentiated embryogenesis
 - differential treatment of the egg by the adult female, 266-67
 - and larval development, 265-69
 - larval morphology, 268-69
 - sex-specific development, 265
 - and solitary vs gregarious development, 266
- Sex pheromone mimicry interspecific, 60
- Sex pheromones, 36-50
 - in ants, 37-45
 - in bees, 45-48
 - classification of, 50-62
 - euglossine bees as insect "peacocks," 55-56
 - female attractant, 52-53
 - in Hymenoptera, 40-44
 - individual specificity of sexual signaling, 56-57
 - male attractant, 51-52
 - in parasitica, 37
 - in sawflies, 36-37
 - sexual deception in orchids, 60-62
 - sexual mimicry, 59-60
 - signals of receptivity, 57-59
 - species specificity of signal, 53-55
 - in sphecoid wasps, 48-49
 - in vespid wasps, 49-50
- Sex ratio distorters, 263-65
 - infection with *PI*
 - Wolbachia* and heteronomous host relationships, 263-64
 - paternally inherited sex ratio distorter in *Encarsia pergandiella*, 264-65
- Sex-specific development of heteronomous aphelinid parasitoids, 262-69
 - reproductive modes, 262-63
 - sex-differentiated embryogenesis and larval development, 265-69
 - sex ratio distorters, 263-65
- Sex-specific host relationships
 - solitary vs gregarious development and, 266
- Sexual aggregation pheromones, 169
- Sexual deceit
 - mimicry and, 59-60
- Sexual deception in orchids, 60-62
 - sexual mimicry in Australian orchids, 61
 - sexual mimicry in *Ophrys* orchids, 61-62
- Sexual dimorphism, 34
- Sexual mimicry
 - and deceit, 59-60
- Sexual signaling
 - individual specificity of, 56-57
- Sexual vs natural selection in arthropods, 149-58
 - biparental care, 158
 - foraging vs caring, 153-54
 - honest signals of paternal intent, 154-57
 - iteroparity, 150-53
 - mating opportunities, 153
- Signals of receptivity, 57-59
 - alteration of female sex pheromones after mating, 57-58
 - antiaphrodisiacs, 58-59
- Sindbis alphavirus
 - as gene vector in non-drosophilid insects, 329-30
- Single-decrement tables, 82-83
- Single-nucleotide polymorphisms (SNPs) at many loci
 - analysis of, 455
- Size
 - colony, 618
 - explaining phytotelmata food webs, 747
- Slavery, 586-89
 - the Amazon *Polyergus* ants, 586-87
- Small insect societies
 - tests of reproductive-skew theory in, 359-69
- Social dominance
 - self-reinforcement and, 422
- Social dominance models of division of labor, 429
- Social hymenoptera
 - colony dispersal and the evolution of queen morphology in, 601-30
- Social inhibition models among social insects, 424-25
 - of division of labor, 431-32
- Social insects, 413-40
 - demography of, 101
 - division of labor defined, 415
 - how individual workers choose tasks, 416-17
 - integrating from the individual to the colony, 417
 - model descriptions, 417-26
 - models and empirical evidence, 426-33
 - specialization for independent foundation, 607-8
 - tests of reproductive-skew models in, 347-85
- Social parasitism in ants, 573-99

- chemical insignificance and chemical integration, 576-79
 - chemical mimicry, 582-89
 - the "gestalt model" for nestmate recognition, 575-76
 - perspectives, 589-92
 - propaganda, appeasement, and repellent substances, 579-82
 - Society for Integrative and Comparative Biology, 224
 - Sodium hypochlorite solution use in quarantines, 402
 - Solenopsis*, 5
 - Solitary development vs gregarious, 266
 - Specialists
 - efficiency of among phytophagous insects, 710-12
 - Specialization in social wasps and bees
 - for independent foundation, 607-8
 - Species coexistence
 - distribution patterns and, 11-12
 - Species richness, 12
 - Species specificity of signal, 53-55
 - Species traits and environmental constraints
 - the biological traits lineage, 295-303
 - the contributions of entomology to ecological theory, 311-12
 - the demography lineage, 308-10
 - entomological research and the history of ecological theory, 291-316
 - the habitat templet concept, 310-11
 - merging the three lineages, 310-11
 - the niche lineage, 303-8
 - prophets of current ecological theory, 293-95
 - Specificity of pheromones
 - odor perception and, 36
 - Specificity of signal
 - by species, 53-55
 - Spectral sensitivity
 - of visual pigments, 472-78
 - Spectral sensitivity of insects, 474, 480-81, 483-84, 497-502
 - Speed of kill
 - thermoregulation and the issue of, 684-85
 - Sperm competition, 58
 - Spermatophore transfer
 - in ixodid ticks, 171-72
 - Spermiogenesis in ixodid ticks, 167-82
 - bloodfeeding, 172-73
 - courtship and mating, 168-71
 - oogenesis, 174
 - oviposition, 176
 - parthenogenesis, 175-76
 - sex determination, 176-77
 - spermatogenesis, 175
 - spermatophore transfer, 171-72
 - spermiogenesis and syngamy, 173-74
 - Sphecids wasps
 - taxonomy of sex pheromones in, 48-49
 - Spiders, 20
 - Spore persistence and recycling, 684
 - Spore quality
 - of *Metarhizium*, 679-80
 - Starvation in insects, 230
 - Statistics
 - of food webs in phytotelmata, 734-35
 - Sterile insect release (SIR), 518
 - Sterile insect technique, 100-1
 - Sterile-male technique, 651-52
 - Stingless bees
 - colony fission among, 610-11
 - Stochastic invasion
 - explaining food webs in phytotelmata, 736
 - Storage
 - of *Metarhizium*, 679-80
 - Studies that require a marker, 513
 - mark-capture, 513
 - mark-release-recapture, 513
 - Succession, 299-300
 - Surveillance
 - in epidemic prediction, 123-24
 - Survival rates, 394
 - of colonies, 18-19
 - Susceptibility
 - of humans to infection, 120-21
 - Symphyta, 36
 - Syngamy
 - in ixodid ticks, 173-74
- T**
- Tags and related markers, 513-14
 - Target molecules
 - identification of novel, 563
 - Target-site resistance
 - in the biochemistry of resistance, 549
 - Task allocation
 - network models of, among social insects, 425-26
 - Task attentiveness
 - among phytophagous insects, 706

- Taxonomy of heteronomous
 Aphelinidae, 256-57
- Taxonomy of sex
 pheromones, 36-50
 in ants, 37-45
 in bees, 45-48
 in parasitica, 37
 in sawflies, 36-37
 in sphecid wasps, 48-49
 in vespid wasps, 49-50
- Techniques used to mark
 insects, 513-26
 dust marking, 516-18
 dye marking, 518-20
 genetic marking, 521-23
 mutilation marking,
 514-15
 paint and ink marking,
 515-16
 pollen marking, 520-21
 radioactive-isotope
 marking, 523
 tags and related markers,
 513-14
- Technologies
 of germline transformation,
 331-34
- Technology transfers
 in fungal spore
 formulations as
 mycopesticides, 687-88
- Temperature patterns
 in insect acid-base
 physiology, 228-29
- Tenebrionid beetles
 joining and avoidance
 behavior in, 643
- Tests
 of environmental impact,
 686
 of recombination and
 independence, 457-58
 of reproductive-skew
 models in social insects,
 347-85
 of reproductive-skew
 theory in large insect
 societies, 370-78
 of reproductive-skew
 theory in small insect
 societies, 359-69
- Thelytokous parthenogenesis,
 262-63
- Thermoregulation
 and the issue of speed of
 kill, 684-85
- Threshold-information
 transfer model
 of division of labor,
 428-29
 integrated, among social
 insects, 420-21
- Threshold models
 among social insects,
 418-20
 foraging for work and,
 423-24
- Threshold mortality, 89
- Thrips
 paternal behavior in,
 146-47
- Togaviridae, 329
- Top-down explanations of
 phytotelmata food webs,
 742-47
 adaptive radiations, 744
 biogeographic constraints,
 743-44
 energetics, 746-47
 environmental
 predictability, 745-46
 island biogeographic
 processes, 745
 size and heterogeneity,
 747
- Toxin resistance of
Drosophila, 545-71
 biochemistry of resistance,
 548-49
 fitness of resistant flies,
 560-61
 future directions, 562-63
 genetic changes resulting
 in resistance, 549-51
 resistance to chemicals,
 552-57
 resistance to heavy metals,
 558-59
 resistance to phytotoxins,
 559-60
 toxin resistance in insect
 populations, 547-48
- Traits
 correlation of, 301-3
- Trajectories
 mortality, 98
- Transactional models of
 reproductive skew in
 insects, 349-56
 concession models, 349-55
 differential oophagy
 illuminated by, 369
 restraint models, 355-56
- Transfer
 spermatophore, in ixodid
 ticks, 171-72
- Transformation
 See Genetic transformation
 systems in insects
- Transgenic non-drosophilid
 insects
 risk assessment arising
 from the generation of,
 336-40
- Transmission
 quantitative genetics of,
 191-96
- Transposable elements as
 gene vectors in
 non-drosophilid insects,
 321-29
 the *Hermes* element,
 321-26
 the *Minos* element, 328-29
 the *Mos1* and *Himar1*
 elements, 326-27
 the *piggyBac* element,
 328
- Tug-of-war models of
 reproductive skew in
 insects, 356-57

U

Undecane, 38

V

Variance in color vision
between individuals of the
same species, 489-91

Vector abundance, age, and
competence
a primer of epidemics,
118-19

Vector biology, 99-100

Vector control strategies
affecting epidemic
response, 125-26

Ventilation
discontinuous, 233

Ventilatory contributions
to acid-base regulation,
235-37

Verhulst equation, 308-10

Vertebrate natural enemies
in biological control of
locusts and grasshoppers,
689-90
egg parasitoids, 690

Vespid wasp sex pheromones,
49-50
female, 49
male-produced, 49-50

Vespine wasps
colony fission among, 610

Vigilance against risk
among phytophagous
insects, 706-7

Viral abundance
a primer of epidemics,
116-18

Virulent phyloxera strains
management of in grapes,
400-2

Viruses as gene vectors in
non-drosophilid insects,
329-31
pantropic retroviruses, 331
Sindbis alphavirus, 329-30

Visible genetic marking of
insects, 521-22

Visual ecology
developmental constraints
on, 485-87

Visual pigments
diversity of, 478-85
and their spectral
sensitivity, 472-78

Viticultural damage
causes of, 395-97
by gallicoles, 397-98
vine symptoms associated
with radicle activity,
395

Volterra-Gause principle, 308

W

Wasps
colony fission among, 610
specialization in social for
independent foundation,
607-8

taxonomy of sex
pheromones in, 48-50
tests of reproductive-skew
models in communal, 366

See also Polistine wasps;
Sphecid wasps; Vespid
wasp sex pheromones

Web sites, 206

Weibull model of mortality,
91

West Africa
field trials of *Metarhizium*
IMI 330189 in, 682-83

West Nile (WN) virus, 113,
122-23

"Window-of-selfishness"
model, 357-58

Wing loss, 611-12

Wingless reproductive
females
frequent occurrence of,
617-19

secondary polygyny
involving, 615-16

Within-group aggression
reproductive skew and,
357-58

Wolbachia
infection with, 263-64

Work
foraging for among social
insects, 422-24

Worker control
of queen number and
identity, 376-78

Worker production
of males, 374-76

"Workers-as-the-dominant"
concession model,
371-72, 374, 378

X

Xylocopini
tests of reproductive-skew
theory in, 364



